

GMC

Preliminary

MOTOR HOME SELECTOR



DECEMBER, 1972

Specifications listed in this advanced publication of the GMC Motor Home Selector were correct at the time of printing to the best of our knowledge; however, since available informational sources are, to some extent, preliminary, it is possible that changes could occur in standard specifications, available equipment offered, or in restrictions placed upon the use of options. Thus the right is reserved to make changes at any time in colors, materials, accessories, available equipment, specifications and models, and also to discontinue or add models.

10 324

GMC MOTOR HOME ORDER

I.D. NO. _____

DEALER INFORMATION		ORDER DATE	CUSTOMER NAME		ORDER NUMBER
NAME: _____		2	4		C 00002
ADDRESS: _____		3	6		
CITY & STATE: _____					
DEALER CODE: _____					
SETTLEMENT: ☐ GDC ☐ GMAC		In the event later signed dealer has current average credit with G.C. Finance for vehicle financing, settlement should be made through G.C. Finance when reference provided herein.			
☐ ZONE SETTLEMENT					
MODEL NO.	LGTH	NO CHARGE	PAINT—ADDITIONAL COST		
☐ ZED6081	23'	☐ WHITE 532	☐ PARROT GREEN 577		
☐ ZED6081	26'	☐ CAMEL 533	☐ BITTERSWEET 575		
		☐ PINEAPPLE YELLOW 527	☐ SKY BLUE 554		

CHASSIS AND BODY—Available Equipment (See GMC Motor Home Selector for Details)

COMFORT & CONVENIENCE OPTIONS		Opt. No. X	EXTERIOR TRIM OPTIONS		Opt. No. X
Air Conditioning—Automotive Type	C70	☒	Bumpers—Chrome, Front & Rear	V37	☒
Side Accent Stripes	DAN	☒	Mirrors—Stainless Steel—Foldaway	DJ8	☒
Cruise Control	K30	☒	Wheel Covers—Disc (6)	PD1	☒
Lamp—Engine Compartment	U76	☒	Wheel Covers—Disc (7)	PD2	☒
Radio—AM w/4 Speakers	UX1	☒	Wheels—Rally Styled	PA1	☒
Radio—AM/FM Monaural w/4 Speakers	UX2	☒			
Radio—AM/FM Stereo w/4 Speakers	UX3	☒	OPERATING—HANDLING & PERFORMANCE OPTIONS		Opt. No. X
Radio—AM/FM/Stereo w/Tape Player w/4 Speakers	UX4	☒	Alternator—80 Amp	K97	☒
Radio—AM/FM/Stereo w/Tape Player & 4 Speakers	UX5	☒	Fuel Exhaustive Emission System—Required in California	NA9	☒
Seat—Dual Front Passenger	A58	☒	Suspension Leveler, Rear—Power Assisted	GYE	☒
Steering Column—Tilt Type	N33	☒	Trailer Wiring Harness	UPA	☒
Thermometer—Outside	Y71	☒			
Warning Lights—Handbrake & Low Fuel	C96	☒			
Windows—Dark Tinted Side & Rear	A04	☒			

INTERIOR—Available Equipment (See GMC Motor Home Selector for Details)

COMFORT & CONVENIENCE OPTIONS		Opt. # X	1 Class—Entrance Door		END	SECTOR GROUPS		Opt. # X
Clock—Battery Op. (Dry Cell)	UNF	☒	Galley—Drs. & Drows, Traditional	END	☒	Sequels	690	
Draper—W/S and Side Window	ENP	☒	Table—Cocktail, Rear	END	☒	Painted Desert—Base	692	
Dinette—Main—Fully Upholstered	ENC	☒	Table—Driver's Compartment	END	☒	Glacier	693	
Fire Extinguisher—2½ lb. (Req'd. in Calif.)	VNB	☒	Table—Rear Dining	END	☒	Canyon Lands	695	
Ugths—Aisle & Comp.	UNK	☒						
Locker—Boot, Behind Pass. Seat	ENE	☒	GENERATOR, HEATING & AIR CONDITIONING		Opt. # X	FLOOR PLAN GROUPS		Opt. # X
Luggage Carrier—w/Ladder	VNV	☒	Air Conditioning—Roof Mtd.	CNF	☒	26-ft. Model: 26-1—Base	BQH	
Monitor Panel	UNH	☒	Aux. Motor Generator—4000 Watt Onan	KNB	☒	26-2	BQJ	
Toilet—Recirculating Chemical	ANW	☒	1 Aux. Motor Generator—4000 Watt Onan	KNC	☒	26-3	BQK	
TV Antenna	UNJ	☒	Aux. Motor Generator—4000W, Kohler	KND	☒	26-4	BQL	
Vacuum Cleaner—Built-In	UNL	☒	1 Aux. Motor Generator—6000W, Kohler	KNE	☒	26-5	BQM	
Ventilator—Roof, Rear, Power Exh.	CNM	☒	Code Insignia—Static Insignia for separate use (See GMC Motor Home Selector for details)	UNM	☒	26-6	BQN	
Ventilator—Roof, Rear, Non-Power	CNN	☒	Converter—AC/DC H-D, 45 AMP	UNE	☒	26-7	BRE	
Ventilator—Bath, Power Exh.	CNP	☒	1 LPG Tank—62 lbs., Replaces Std. 44.5 lb.	CHJ	☒	26-8	BQP	
Ventilator—Roof Front, Power Exh.	CNQ	☒	LPG Furnace—30,000 BTU	CHJ	☒	26-9	BQQ	
Ventilator—Roof, Center, Non-Power	CNT	☒	Pre-Wire—For Air Cond.	UNN	☒	26-10	BQR	
Waste Disposal—Thermosan	ANY	☒				26-11	BQS	
Water Heater—Elec. w/Eng. Pre-Heat	UNG	☒				23-ft. Model: 23-1—Base	BQT	
						23-2	BQU	
						23-3	BQV	
						23-4	BQW	

CABINETS & TABLES

Opt. # X	Opt. # X	Opt. # X
1 Cabinet—Overhead Frt. R.H. 2 Doors	EHA	☒
1 Cabinet—Overhead Frt. L.H. 2 Doors	ENM	☒
1 Cabinet—Overhead Rr.	ENH	☒
1 Cabinet—R.H. Frt. Traditional	ENJ	☒
1 Cabinet—L.H. Frt. Traditional	ENL	☒
1 Cabinet—Rear Traditional	ENV	☒

KITCHEN OPTIONS

Opt. # X	Opt. # X	Opt. # X
Range—4 Burner w/Cover	UNP	☒
Refrigerator—7.5 cu. ft. All Elec. AC/DC	UNA	☒
Refrigerator—7 cu. ft. Gas/Elec. 2 Dr.	UNB	☒
Refrigerator—6 cu. ft. Gas/Elec.	UNC	☒
Water Purifier	VNT	☒

SPECIAL EQUIPMENT OR INSTRUCTIONS:

11

FOR FACTORY USE ONLY

DEALER SIGNATURE: _____

12


GREEN COPY: GMC YELLOW COPY: DEALER

GMC TRUCK & COACH DIVISION

FORM GMT 102H
REV. 11-72

HOW TO FILL OUT YOUR MOTOR HOME ORDER FORM

- 1 Use Dealer Stamp here.
- 2 Order Date.
- 3 Indicate Type of Order.
- 4 Customer Name, if Sold.
- 5 Model & Paint RPO Numbers.
- 6 Show type of tires desired.
- 7 Insert (X) next to RPO Number and Description for Chassis and Body Equipment.
- 8 Insert (X) next to RPO Number and Description for Interior Equipment.
- 9 Indicate Method of Shipment.
- 10 Use this space if vehicle is to be shipped to address other than dealer's.
- 11 Be Sure to place (X) for Code Insignia if your state requires a special label. You MUST indicate the State and Applicable 6-Digit RPO Number under Special Equipment or Instructions. See Motor Home Selector for this 6-Digit RPO Number.
- 12 Be Sure To Sign Order.



STANDARD SPECIFICATIONS

ZE-06081 MODEL
(GMC 23-FT. MOTOR HOME)

ENGINE.

Gasoline. GMC 455, 8 cylinder, V-type with C.C.S.

Net HP @ RPM (SAE).....265 @ 4300
Net Torque (lbs. ft.) @ RPM (SAE).....375 @ 2800
Comp. Ratio. 8.5:1.

Air Cleaner. Oiled paper element.

Cooling. Capacity: 21 qt. tube and center radiator, 9 lb. pressure cap. All season coolant, (-20°F), one 195°F thermostat, 19 in. 7 blade fan.

Emission Control. Conforms to Federal Standards.

Oil Filter. Throwaway type. 1 Qt.

TRANSMISSION.

Type. 3 Spd. Turbo Hydramatic HMT425. Ratios: (2.0 converter) 3.45, 2.25, 1.41, 1.00; Rev. 5.02.

REAR AXLE.

Independently Suspended Tandem Wheels (non-driving), capacity—7000 lbs

Air Suspension with leading and trailing arms. One height control valve.

Shock Absorbers. Four 1" Dia.

FRONT AXLE.

Torsion Bar Suspension. Rated capacity 4000 lbs.

Final Drive Ratio. 3.07:1. Number of wheel turns, lock to lock; 2.95. Turn. dia. curb to curb; 50.2 ft.

Shock Absorbers. Two. 1" Dia.

Steering Integral Gear Power Steering (17.5:1 ratio).

BRAKES.

Type. Disc front, Drum rear (4) Vacuum boosted, w/dual (split) system and a combination valve which differentiates, meters and holds off front brake pressure until rear brakes contact the Drums.

Effective Brake Lining Area.

Front..... 37.88 sq. in.
Rear.....148.68 sq. in.

Brake Size.

Front (Disc Type).....11" x 1.205"
Swept Area Per Axle (Sq. In.).....210
Rear (Drum type—4).....11" x 2"
Swept Area Per Axle (Sq. In.).....138

Total Swept Area.

(Sq. In.).....486

CHASSIS.

Frame. Ladder type welded frame with 6 x 2.50 x 1.25 channel SAE 950 side rails and SAE 1020 channel crossmembers.

Bumpers. Formed steel, painted silver, 2-piece front and rear. Energy absorbers—2 front and 2 rear.

FUEL AND EXHAUST.

Fuel Tanks. Two 25 gal. tanks w/fuel selector switch.

Exhaust. Dual mufflers and single tail pipe.

BODY.

Structure.

Alum. Body with Fiberglass Lower Panels, Frt. & Rear. (Frt. & Rear Insulation), 1" Treated Plywood Floor.
28" Wide Side Door—Opens 180°.

Windows.

Windshield—Two Piece Laminated. Tinted.
Driver Compt.—Side Windows.—Sliding Laminated.
Living Area Windows—One, Screened & Sliding.
Galley & Entrance Door Windows.
Bedroom Side Windows—Two Screened & Sliding.
Bedroom Rear Window—One Piece Solid Tempered. Has Kickout Safety Feature.

Exterior Colors.

Three (3) Std.
Color Keyed Frt. Accent Stripes.

Environmental Equipment.

Heating. LPG Furnace—22,000 BTU (Forced Air).
Ventilation. Frt. Roof Mounted & Bathroom Gravity Ventilators.
Fire Extinguisher—2½ lb.
Water Supply & Disposal. 40 Gal. ea. Polyethylene Water Supply & Disposal Tanks with 12V Demand Water Pump.
6 Gal., 110V Hot Water Heater.
City Water Hook-Up System with Locking Fillcap.

Power.

12 V. DC with 30 Amp. AC/DC Battery Converter/Charger.
110 V. AC—25 ft. 40 Amp. Power Cord.
LPG—44.5 lb. Propane Tank.

Interior Electrical.

All Lights 12 V.—Located As Follows:

Dinette—(1) on L.H. Side	Sink—(1)
Corridor—(1)	Rear Compartment—(2)
Range Hood—(1)	Bathroom—(2)
Door Courtesy—(1)	Duplex Outlets—110 V. (4)

STANDARD SPECIFICATIONS Continued

ZE-06081 MODEL (GMC 23-FT. MOTOR HOME)

Interior Finishing.

Walls & Roof Insulated w/Foamed in Place Polyurethane.
Ceiling—Vinyl Covered Composite Panel.
Paneling— $\frac{3}{16}$ " Vinyl Covered Wood Panel.
Drapery—All Windows Ex. Windshield and Driver Compartment Side Windows.
Driver Compartment Divider Drape.
Carpet—Mini Shag (Color Coordinated).

Driver & Passenger Compartment.

Adjustable Contoured Driver & Single Passenger Swivel Seats w/Armrests & Seat Belts.
Two Painted Outside ($7\frac{1}{2}$ x $10\frac{1}{2}$) Foldaway Mirrors.
Inside Rear View Mirror.
Left & Right Hand Sun Shades.
Two Ash Trays.
Dome Lamps—Driver & Passenger.
Safety Padded Dash.
Automotive Heater & Defroster.
Glove Compartment.
Map Pocket—Driver & Passenger.

Instruments & Controls.

Windshield Wiper/Washer (Hydraulic Wipers). Variable 2-speed.
Lights—Heater & Defroster, Lighter, Speedometer, Fuel, Temp., Oil, Gen., Brake Cluster Gauge.
Key Buzzer Warning System.
Telltale Light—Door Open.

Living Compartment. (Front).

Main Dinette, Converts Into Double Bed, with Removable Folding Leg Table—L.H. Side.
4 Seat Belts.

Galley Area.

Refrigerator—6 Cu. Ft. All Electric, 12 V./110 V.
Range—3 Burner with Oven & Hood, 12 V. Fan & Light.
Sink—17" x 24" Stainless Steel Obl. Bowl w/Ledge Back & Swing Spout Faucet.
Cabinets—Under and Over Sink & Refrigerator.

Rear Bedroom.

Permanent Double Bed.
Storage Locker.
Rear Upper Cabinets on Each Side.

Bathroom & Hall.

Two Piece Molded Fiberglass Reinforced Plastic w/Shower & Curtain.
Sink and Faucet.
Medicine Chest w/Mirror.
Thetford 41 Aquamagic Toilet.
Storage Compt. (Closet, Three Drawers & 2 Doors).

ELECTRICAL.

Battery. 2-12 V. 73 amp. hr.

Alternator. 12 V., 61 amp. Delcotron.

Headlights—Single 7" High intensity.

Amber Frt. Turn Directionals.

Combination Stop, Tail, Turn & Backup.

Five Amber (2 Clearance, 3 Identification) Marker Lamps Upper Front.

Five Red Marker Lamps Upper Rear.

Side Markers (Frt. & Rear With Reflectors—Front Flash With Turn Signals).


4-Way Emergency Flashers.

Porch Light.

WHEELS—TIRES.

Tires. (6) 8.75 x 16.5 (D Load Range) Blackwall.

Wheels. 16.5-6K. 8 stud with $6\frac{1}{2}$ " bolt circle. Offset: 4.67".



STANDARD SPECIFICATIONS

ZE-06581 MODEL
(GMC 26-FT. MOTOR HOME)

ENGINE.

Gasoline. GMC 455, 8 cylinder, V-type with C.C.S.

Net HP @ RPM (SAE).....265 @ 4300

Net Torque (lbs. ft.) @ RPM (SAE).....375 @ 2800

Comp. Ratio. 8.5:1.

Air Cleaner. Oiled paper element.

Cooling. Capacity: 21 qt. tube and center radiator, 9 lb. pressure cap. All season coolant, (-20°F), one 195°F thermostat, 19 in. 7 blade fan.

Emission Control. Conforms to Federal Standards.

Oil Filter. Throwaway type. 1 Qt.

TRANSMISSION.

Type. 3 Spd. Turbo Hydramatic HMT425. Ratios: (2.0 converter) 3.45, 2.25, 1.41, 1.00; Rev. 5.02.

REAR AXLE.

Independently Suspended Tandem Wheels (non-driving), capacity—7000 lbs.

Air Suspension with leading and trailing arms. One height control valve.

Shock Absorbers. Four 1" Dia.

FRONT AXLE.

Torsion Bar Suspension. Rated capacity 4000 lbs.

Final Drive Ratio. 3.07:1. Number of wheel turns, lock to lock; 2.95. Turn dia. curb to curb; 56.41 ft.

Shock Absorbers. Two. 1" Dia.

Steering Integral Gear Power Steering (17.5:1 ratio).

BRAKES.

Type. Disc front, Drum rear (4) Vacuum boosted, w/dual (split) system and a combination valve which differentiates, meters and holds off front brake pressure until rear brakes contact the Drums.

Effective Brake Lining Area.

Front.....37.88 sq. in.

Rear.....148.68 sq. in.

Brake Size.

Front (Disc Type).....11" x 1.205"

Swept Area Per Axle (Sq. In.).....210

Rear (Drum type—4).....11" x 2"

Swept Area Per Axle (Sq. In.).....138

Total Swept Area.

(Sq. In.).....486

CHASSIS.

Frame. Ladder type welded frame with 6 x 2.50 x 1.25 channel SAE 950 side rails and SAE 1020 channel crossmembers.

Bumpers. Formed steel, painted silver, 2-piece front and rear. Energy absorbers—2 front and 2 rear.

FUEL AND EXHAUST.

Fuel Tanks. Two 25 gal. tanks w/fuel selector switch.

Exhaust. Dual mufflers and single tail pipe.

BODY.

Structure.

Alum. Body with Fiberglass Lower Panels, Frt. & Rear. (Frt. & Rear Insulation).

1" Treated Plywood Floor.

28" Wide Side Door—Opens 180°.

Windows.

Windshield—Two Piece Laminated. Tinted.

Driver Compt.—Side Windows—Sliding Laminated.

Living Area Windows—Two, Screened & Sliding.

Galley & Entrance Door Windows.

Bedroom Side Windows—Two Screened & Sliding.

Bedroom Rear Window—One Piece Solid Tempered. Has Kickout Safety Feature.

Exterior Colors.

Three (3) Std.

Color Keyed Frt. Accent Stripes.

Environmental Equipment.

Heating. LPG Furnace—22,000 BTU (Forced Air).

Ventilation. Frt. Roof Mounted & Bathroom Gravity Ventilators.

Fire Extinguisher—2½ lb.

Water Supply & Disposal. 40 Gal. ea. Polyethylene Water Supply & Disposal Tanks with 12V Demand Water Pump.

6 Gal., 110V. Hot Water Heater.

City Water Hook-Up System with Locking Fillcap.

Power.

12 V. DC with 30 Amp. AC/DC Battery Converter/Charger.

110 V. AC—25 ft. 40 Amp. Power Cord.

LPG—44.5 lb. Propane Tank.

Interior Electrical.

All Lights 12 V.—Located As Follows:

Dinette—(2) One L.H. Side—One R.H. Side

Corridor—(1)

Range Hood—(1)

Door Courtesy—(1)

Sink—(1)

Rear Compartment—(2)

Bathroom—(2)

Duplex Outlets—110 V. (4)

STANDARD SPECIFICATIONS Continued

ZE-06581 MODEL
(GMC 26-FT. MOTOR HOME)

Interior Finishing.

Walls & Roof Insulated w/Foamed in Place Polyurethane.
Ceiling—Vinyl Covered Composite Panel.
Paneling— $\frac{3}{16}$ " Vinyl Covered Wood Panel.
Drapery—All Windows Ex. Windshield and Driver Compartment Side Windows.
Driver Compartment Divider Drape.
Carpet—Mini Shag (Color Coordinated).

Driver & Passenger Compartment.

Adjustable Contoured Driver & Single Passenger Swivel Seats w/Armrests & Seat Belts.
Two Painted Outside ($7\frac{1}{2}$ x $10\frac{1}{2}$) Foldaway Mirrors.
Inside Rear View Mirror.
Left & Right Hand Sun Shades.
Two Ash Trays.
Dome Lamps—Driver & Passenger.
Safety Padded Dash.
Automotive Heater & Defroster.
Glove Compartment.
Map Pocket—Driver & Passenger.

Instruments & Controls.

Windshield Wiper/Washer (Hydraulic Wipers). Variable 2-speed.
Lights—Heater & Defroster, Lighter, Speedometer, Fuel, Temp., Oil, Gen., Brake Cluster Gauge.
Key Buzzer Warning System.
Telltale Light—Door Open.

Living Compartment. (Front).

Main Dinette, Converts Into Double Bed, with Removable Folding Leg Table—R.H. Side.
4 Seat Belts.
Davo—Converts to Upper & Low Bunk Beds (30" x 76") L.H. Side

Galley Area.

Refrigerator—6 Cu. Ft. All Electric, 12 V./110 V.
Range—3 Burner with Oven & Hood, 12 V. Fan & Light.
Sink—17" x 24" Stainless Steel Obl. Bowl w/Ledge Back & Swing Spout Faucet.
Cabinets—Under and Over Sink & Refrigerator.

Rear Bedroom.

Permanent Double Bed.
Storage Locker.
Rear Upper Cabinets on Each Side.

Bathroom & Hall.

Two Piece Molded Fiberglass Reinforced Plastic w/Shower & Curtain.
Sink and Faucet.
Medicine Chest w/Mirror.
Thetford 41 Aquamagic Toilet.
Storage Compt. (Closet, Three Drawers & 2 Doors).

ELECTRICAL.

Battery. 2-12 V. 73 amp. hr.

Alternator. 12 V., 61 amp. Delcotron.

Headlights—Single 7" High Intensity.

Amber Frt. Turn Directionals
Combination Stop, Tail, Turn & Backup
Five Amber (2 Clearance, 3 Identification) Marker Lamps Upper Front
Five Red Marker Lamps Upper Rear
Side Markers (Frt. & Rear With Reflectors—Front Flash With Turn Signals)
4-Way Emergency Flashers
Porch Light


WHEELS—TIRES.

Tires. (6) 8.75 x 16.5 (D Load Range) Blackwall.


Wheels. 16.5-6K. 8 stud with $6\frac{1}{2}$ " bolt circle. Offset: 4.67".

23' FLOOR PLANS


13,569.06




120.00



85.00




135.00




26' FLOOR PLANS


I5.00




I35.00



I00.00




I85.00




26 FLOOR PLANS


I4,569.06



I20.00




85.00




26' FLOOR PLANS


305.00




270.00



135.00



320.00



AVAILABLE EQUIPMENT

CHASSIS AND BODY

Description	Opt. No.
Automotive Air Conditioning	C70 --- 482.00
Side Accent Stripes	DAN --- 86.00
Cruise Control	K30 --- 86.00
Engine Compartment Lamp	U26 --- 44.50
Radio—AM	UX1 --- 97.00
AM/FM Monaural	UX2 --- 152.00
AM/FM Stereo	UX3 --- 217.00
AM Stereo w/Tape Player	UX4 --- 202.00
AM/FM Stereo w/Tape Player	UX5 --- 312.00
Dual Passenger Seat (Non Swivel 26'—Swivel 23')	A58 --- 60.00
Tilt Type Steering Column	N33 --- 41.80
Outside Thermometer	Y71 --- 14.25
Warning Lights (Handbrake & Low Fuel)	C96 --- 15.00
Dark Tinted Side & Rear Windows-Softay	A04 --- 110.00
Chrome Bumper—Frt. & Rear	V37 --- 75.00
80 Amp. Alternator	K97 --- 58.90
Dual Stainless Steel Foldaway Mirrors	DJ8 --- 15.65
Trim Disc Wheel Covers—6 Wheels	P01 --- 45.00
Trim Disc Wheel Covers—7 Wheels	P02 --- 52.50
Fuel Evaporative Emission System	NA9 --- 17.00
Power Suspension Leveler	GYE --- 85.00
Trailer Wiring Harness	UPA --- 17.50
Wheel Carrier—Spare	P10 --- 21.00
Spare Tire	Io5BS --- 76.01
Spare Wheel	PNJ --- 20.00

INTERIOR


Description	Opt. No.
Clock Battery Operated	UNF
Drapes Windshield & Driver Compt. Side Windows	ENP --- 55.00
Dinette: Front, Fully Upholstered	
L.H. Frt.—23'	ENC
R.H. Frt.—26'	ENC
Lights—Aisle & Compartment	UNK --- 55.00
Boot Locker	ENE --- 14.00
Roof Luggage Carrier w/Access Ladder	VNV --- 175.00
Monitor Panel	UNH --- 120.00
Chemical Recirculating Toilet	ANW --- 160.00
TV Antenna	UNJ
Vacuum Cleaner, Built-In—26' Only	UNL --- 210.00
Ventilator, Roof Rear Mtd. Power	CNM --- 30.00
Ventilator, Rear Roof. Non-Power	CNN --- 30.00

AVAILABLE EQUIPMENT

INTERIOR (Cont'd)

Description	Opt. No.	
Bath Power Exhaust Fan	CNP ---	30.00
Front Roof Mtd. Ventilator Power Fan	CNQ ---	30.00
Center Roof Mtd. Ventilator Non-Power (26' Only)	CNT ---	30.00
Thermosan Waste Disposal	ANY ---	650.00
Water Heater, Electric w/Engine Pre-Heat	UNG ---	65.00
Cabinets, Overhead, Frt. L.H. Side (w/o Davo)	ENM ---	80.00
Cabinets, Overhead, Frt. R.H. Side (26' Only)	ENA ---	80.00
Cabinets, RH Frt. w/Traditional Carved Appearance (26' Only)	ENJ	
Cabinets, LH Frt. w/Traditional Carved Appearance	ENL	
Cabinets, Rear Overhead w/Traditional Carved Appearance	ENV	
Broom Closet (26' Only)	ENR ---	30.00
Galley Doors & Drawers w/Traditional Carved Appearance	END	
Rear Cocktail Table	ENB	
Table, Driver's Compartment	ENF ---	17.00
Rear Dining Table	ENK ---	50.00
Air Conditioning, Roof Mtd. 13,500 BTU, 110 AC	CNK ---	525.00
Aux. Motor Generator—4000 Watt Onan	KNB ---	1285.00
6000 Watt Onan (26' Only)	KNC ---	1675.00
4000 Watt Kohler	KND ---	1185.00
6000 Watt Kohler (26' Only)	KNE	
Converter, AC/DC 45 Amp.	UNM ---	70.00
LPG Tank, 62 lb. (26' Only)	UNE ---	25.00
LPG Furnace, 30,000 BTU	CNJ ---	50.00
Prewire for Air Conditioning	UNN ---	25.00
Range, 4 Burner w/Glass Oven Door & Bi-Fold Top	UNP ---	55.00
Refrigerator, 7.5 Cu. Ft. All Electric (26' Only)	UNA ---	175.00
Refrigerator, 7 Cu. Ft. Gas/Elec. (26' Only)	UNB ---	205.00
Refrigerator, 6 Cu. Ft. Gas/Elec.	UNC ---	80.00
Water Purifier	VNT ---	90.00
Four (4) Color Keyed Interior Decors		
—Sequoia	690	
—Painted Desert	692	
—Glacier	693	
—Canyon Lands	695	
Dealer Driveaway	BQF ---	32.00
Customer Driveaway	BQG ---	105.00
Code Insignia—State		
Arizona	VNW301	
California	VNW302	
Florida	VNW303	
Idaho	VNW304	
Nevada	VNW305	
Oregon	VNW306	
Tennessee	VNW307	
Utah	VNW308	
Washington	VNW309	

SURE-TO-BE




POWER LEVEL



OFF LEVEL




ON LEVEL




AUTOMOTIVE AIR CONDITIONING

POPULAR ITEMS




ROOF-MOUNTED
AIR CONDITIONING



AM/FM STEREO
8 TRACK




TILT WHEEL




THERMOSAN
WASTE DISPOSAL

SURE-TO-BE POPULAR ITEMS



FOUR BURNER STOVE





BUILT-IN VACUUM CLEANER—26' ONLY

STANDARD FEATURES




INSTRUMENT PANEL

CLOSE-UP OF
INDICATOR LIGHTS ➔




FRAMING CONSTRUCTION


STANDARD



SHAKE TEST




FRONT DRIVE




FRONT SUSPENSION

FEATURES



CHASSIS AND SUSPENSION



ENERGY-ABSORBING
2-PIECE BUMPER



THE **MOTOR HOME** PEOPLE FROM GENERAL MOTORS